



UNIVERSITY
OF WOLLONGONG
AUSTRALIA

University of Wollongong
Research Online

Faculty of Health and Behavioural Sciences - Papers
(Archive)

Faculty of Science, Medicine and Health

2011

Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers

Ali Sadeghpour

University of Wollongong, as953@uow.edu.au

Jo Russell

University of Wollongong, jrussell@uow.edu.au

Vicki Flood

University of Wollongong, vflood@uow.edu.au

Paul Mitchell

Centre for Vision Research, Uni of Sydney

Publication Details

Sadeghpour, A., Russell, J., Flood, V. & Mitchell, P. 2011, 'Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers', 2011 Annual Meeting of the International Society for Behavioral Nutrition and Physical Activity, International Society for Behavioral Nutrition and Physical Activity, pp. P201-P201.

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library:
research-pubs@uow.edu.au

Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers

Keywords

associated, biomarkers, australian, healthy, vitamin, eating, index, b12, folate, homocysteine

Disciplines

Arts and Humanities | Life Sciences | Medicine and Health Sciences | Social and Behavioral Sciences

Publication Details

Sadeghpour, A., Russell, J., Flood, V. & Mitchell, P. 2011, 'Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers', 2011 Annual Meeting of the International Society for Behavioral Nutrition and Physical Activity, International Society for Behavioral Nutrition and Physical Activity, pp. P201-P201.

P201

Australian Healthy Eating Index is associated with homocysteine, Vitamin B12 and folate biomarkers

Ali Sadeghpour, University of Wollongong, ; Jo Russell, University of Wollongong, Australia; Vicki Flood, University of Wollongong, Australia; Paul Mitchell, University of Wollongong, Australia

Purpose

Assessing diet quality using the Australian Healthy Eating Index (AusHEI) can provide insights into overall dietary behaviours. This study aimed to examine associations between the AusHEI and a range of nutritional biomarkers among older Australians

Methods

In a cohort of older Australians (50+ years), who participated in the Blue Mountains Eye Study (BMES) in 1997-2000, 2608 people completed a food frequency questionnaire (FFQ) and provided fasting blood samples. Data from the FFQ was used to calculate diet quality scores, measured by the AusHEI with higher scores indicating a closer adherence to dietary guidelines. Mean levels of serum folate, Vitamin B12, homocysteine, total cholesterol, HDL cholesterol and triglycerides were compared across quintiles AusHEI scores

Results

Preliminary results showed significant trend for improved levels of serum folate, Vitamin B12, homocysteine, total cholesterol and HDL cholesterol with increasing quintiles of diet quality (p for trend <0.05). Mean levels of biomarkers in the highest quintile of diet quality were compared to those in the lowest quintile with significant differences ($p<0.05$) for folate (19.5nmol/L vs 17.1 nmol/L), Vitamin B12 (295pmol/L vs 261pmol/L), homocysteine (11.2 μ mol/L vs 13.32 μ mol/L), and total cholesterol (5.9mg/dL vs 5.7mg/dL). No significant mean differences were found between the highest and lowest quintiles of AusHEI for HDL cholesterol and triglycerides

Conclusion

There was a significant association between nutrition biomarkers (folate, Vitamin B12, homocysteine and cholesterol) and AusHEI score. These biomarkers may be used to provide an objective measure of diet quality and has implications for future research