



UNIVERSITY
OF WOLLONGONG
AUSTRALIA

University of Wollongong
Research Online

University of Wollongong Thesis Collection
1954-2016

University of Wollongong Thesis Collections

2010

Thermoregulatory and non-thermoregulatory factors in humans during exercise and rest: influences on thermoeffector function

Christopher Gordon
cjpg16@uow.edu.au

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part of this work may be reproduced by any process, nor may any other exclusive right be exercised, without the permission of the author.

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Recommended Citation

Gordon, Christopher, Thermoregulatory and non-thermoregulatory factors in humans during exercise and rest: influences on thermoeffector function, Doctor of Philosophy thesis, School of Health Sciences - Faculty of Health & Behavioural Science, University of Wollongong, 2010. <http://ro.uow.edu.au/theses/3130>

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

NOTE

This online version of the thesis may have different page formatting and pagination from the paper copy held in the University of Wollongong Library.

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

THERMOREGULATORY AND NON-THERMOREGULATORY FACTORS
IN HUMANS DURING EXERCISE AND REST: INFLUENCES ON
THERMOEFFECTOR FUNCTION

A thesis submitted in partial fulfilment of the requirements for the award of the degree

of

DOCTOR OF PHILOSOPHY

from

UNIVERSITY OF WOLLONGONG

by

CHRISTOPHER JAMES GORDON, BN, MExSc

SCHOOL OF HEALTH SCIENCES

2010

CERTIFICATION

I, Christopher James Gordon, declare that this thesis, submitted in partial fulfilment of the requirements for the award of Doctor of Philosophy, in the School of Health Sciences, University of Wollongong, is wholly my own work unless otherwise referenced or acknowledged. The document has not been submitted for qualifications at any other academic institution.

Christopher Gordon

24th February 2010

TABLE OF CONTENTS

CERTIFICATION.	ii
TABLE OF CONTENTS.	iii
LIST OF FIGURES.	viii
LIST OF TABLES.	xii
ACKNOWLEDGMENTS.	xiii
ABSTRACT.	xiv
CHAPTER 1: INTRODUCTION.	1
1.1 INTRODUCTION.	1
1.1.1 Thermal afferents.	2
1.1.2 Thermoeffectors.	4
1.1.2.1 Skin blood flow.	5
1.1.2.2 Sweating.	7
1.1.3 Non-thermal factors.	9
1.1.3.1 Baroreceptors.	10
1.1.3.2 Feedforward.	12
1.1.3.3 Metaboreceptors.	13
1.1.3.4 Mechanoreceptors.	14
1.2 SUMMARY.	15
1.3 PURPOSE.	16
1.4 HYPOTHESES.	17
1.5 REFERENCES.	17
CHAPTER 2: THE INFLUENCE OF VENOUS OCCLUSION ON HUMAN THERMOREGULATION DURING STEADY-STATE DYNAMIC EXERCISE.	29
2.1 INTRODUCTION.	29
2.1.1 Human thermoregulation during dynamic exercise.	29
2.1.2 Non-thermal influences during dynamic exercise.	32
2.1.3 Venous occlusion during dynamic exercise.	33
2.1.4 Aims and hypotheses.	34
2.2 METHODS.	35
2.2.1 Subjects.	35
2.2.2 Procedures.	36
2.2.2.1 Protocol.	36
2.2.2.1.1 <i>Pre-experimental testing</i>	39
2.2.2.2 Experimental standardisation.	39
2.2.2.3 Subject safety criteria.	40
2.2.3 Measurements and apparatus.	40
2.2.3.1 Thermometry.	40
2.2.3.1.1 <i>Core temperature</i>	40
2.2.3.1.2 <i>Skin temperature</i>	40
2.2.3.1.3 <i>Mean body temperature</i>	40
2.2.3.1.4 <i>Heat flow gradient</i>	41

2.2.3.1.5 Calibration.	41
2.2.3.2 Sudomotor function.	41
2.2.3.2.1 Sweat rate.	41
2.2.3.2.2 Sweat monitor calibration.	43
2.2.3.3 Blood pressure.	44
2.2.3.4 Cardiac frequency.	45
2.2.3.5 Laser-Doppler flowmetry.	45
2.2.3.6 Cutaneous vascular conductance.	46
2.2.3.7 Mass and height.	46
2.2.3.8 Psychophysical variables.	46
2.2.3.8.1 Perceived exertion.	47
2.2.3.8.2 Thermal sensation.	47
2.2.3.8.3 Thermal discomfort.	48
2.2.4 Design and analysis.	49
2.3 RESULTS.	49
2.3.1 Resting baseline characteristics.	49
2.3.2 Thermoregulatory function.	51
2.3.2.1 Body temperatures.	51
2.3.2.2 Heat flow.	54
2.3.2.3 Body temperature delays.	54
2.3.2.4 Sweating response.	60
2.3.2.5 Sweating phase delays.	60
2.3.2.6 Sudomotor control.	65
2.3.3 Cardiovascular variables.	66
2.3.3.1 Cardiac frequency.	66
2.3.3.2 Blood pressure changes.	66
2.3.3.3 Vasomotor function.	70
2.3.4 Psychophysical variables.	74
2.4: DISCUSSION.	79
2.4.1 Thermoregulatory changes.	80
2.4.2 Non-thermal factors.	82
2.4.3 Vasomotor responses.	85
2.5 SUMMARY.	85
2.6 REFERENCES.	86
CHAPTER 3: SUDOMOTOR AND CARDIOVASCULAR RESPONSES DURING SINUSOIDAL EXERCISE WITH VENOUS OCCLUSION.	93
3.1 INTRODUCTION.	93
3.1.1 Thermoreceptor distribution.	94
3.1.2 Muscle thermoreceptors.	94
3.1.3 Sinusoidal forcing function.	96
3.1.4 Aims and hypotheses.	98
3.2 METHODS.	99
3.2.1 Subjects.	99
3.2.2 Procedures.	99
3.2.2.1 Pre-experimental testing.	99

3.2.2.2 Protocol.	101
3.2.2.3 Control protocol.	101
3.2.2.4 Occlusion waveform.	103
3.2.2.5 Subject safety criteria.	103
3.2.2.6 Experimental standardisation.	103
3.2.3 Measurements and apparatus.	103
3.2.3.1 Thermometry.	103
3.2.3.1.1 Core temperature.	103
3.2.3.1.2 Skin temperature.	104
3.2.3.1.3 Mean body temperature.	104
3.2.3.1.4 Calibration.	104
3.2.3.2 Sudomotor function.	104
3.2.3.2.1 Sweat rate.	104
3.2.3.2.2 Sweat monitor calibration.	105
3.2.3.3 Blood pressure.	106
3.2.3.4 Cardiac frequency.	106
3.2.3.5 Mass and height.	106
3.2.3.6 Psychophysical variables.	107
3.2.4 Design and analysis.	107
3.3 RESULTS.	108
3.3.1 Thermoregulatory variables.	109
3.3.1.1 Core and skin temperature changes.	109
3.3.1.2 Body temperature phase delays.	113
3.3.1.3 Sweating responses.	113
3.3.1.4 Sweating phase delays.	117
3.3.1.5 Sudomotor control.	117
3.3.2 Cardiovascular variables.	119
3.3.2.1 Mean arterial pressure.	119
3.3.2.2 Cardiac frequency.	119
3.3.3 Psychophysical variables.	123
3.4 DISCUSSION.	127
3.4.1 Thermoregulatory changes.	127
3.4.2 Non-thermal factors.	130
3.5 SUMMARY.	132
3.6 REFERENCES.	133
CHAPTER 4: THE EFFECT OF POSTURE AND VENOUS OCCLUSION ON THERMOEFFECTOR RESPONSES DURING PASSIVE HEAT EXPOSURE. .	140
4.1 INTRODUCTION.	140
4.1.1 Posture.	141
4.1.2 Venous occlusion during rest.	142
4.1.3 Aims and hypotheses.	143
4.2 METHODS.	144
4.2.1 Subjects.	144
4.2.2 Procedures.	144
4.2.2.1 Protocol.	145

4.2.2.1.1	<i>Supine.</i>	145
4.2.2.1.2	<i>Upright-seated posture.</i>	146
4.2.2.2	Experimental standardisation.	147
4.2.2.3	Subject safety criteria.	147
4.2.3	Measurements and apparatus.	147
4.2.3.1	Thermometry.	147
4.2.3.1.1	<i>Core temperature.</i>	147
4.2.3.1.2	<i>Skin temperature.</i>	147
4.2.3.1.3	<i>Mean body temperature.</i>	148
4.2.3.1.4	<i>Thermometry calibration.</i>	148
4.2.3.2	Water-perfusion suit.	148
4.2.3.3	Sudomotor function.	149
4.2.3.3.1	<i>Sweat rate.</i>	149
4.2.3.3.2	<i>Sweat monitor calibration.</i>	150
4.2.3.4	Blood pressure.	151
4.2.3.5	Cardiac frequency.	151
4.2.3.6	Laser-Doppler flowmetry.	151
4.2.3.7	Breathing frequency.	152
4.2.3.8	Mass and height.	152
4.2.4	Design and analysis.	152
4.3	RESULTS.	153
4.3.1	Body temperatures.	153
4.3.2	Sweating responses.	153
4.3.3	Cardiovascular changes.	156
4.3.3.1	Mean arterial pressure.	156
4.3.3.2	Cardiac frequency responses.	161
4.3.3.3	Skin blood flow responses.	161
4.3.4	Breathing frequency responses.	161
4.4	DISCUSSION.	164
4.4.1	Thermoregulatory changes during venous occlusion.	166
4.4.2	Non-thermoregulatory changes during venous occlusion.	169
4.4.2.1	Baroreflexes.	169
4.4.2.2	Muscle afferents.	170
4.4.2.3	Psychological stimuli.	172
4.4.3	Vasomotor responses to occlusion.	173
4.5	SUMMARY.	174
4.6	REFERENCES.	174
CHAPTER 5: THERMOEFFECTOR RESPONSES DURING ISOMETRIC		
EXERCISE: INFLUENCE OF MUSCLE MASS AND EXERCISE INTENSITY. 182		
5.1	INTRODUCTION.	182
5.1.1	Non-thermal factors associated with isometric exercise.	182
5.1.2	Effect of muscle mass on thermoeffector responses.	184
5.1.3	Aims and hypotheses.	185
5.2	METHODS.	186
5.2.1	Subjects.	186

5.2.2 Procedures.	187
5.2.2.1 Pre-experimental testing.	187
5.2.2.2 Protocol.	189
5.2.2.3 Experimental standardisation.	191
5.2.2.4 Subject safety criteria.	191
5.2.3 Measurements and apparatus.	191
5.2.3.1 Water-perfusion suit.	191
5.2.3.2 Thermometry.	192
5.2.3.3 Sudomotor function.	193
5.2.3.2.1 <i>Sweat rate</i>	193
5.2.3.2.2 <i>Sweat monitor calibration</i>	194
5.2.3.4 Blood pressure.	194
5.2.3.5 Cardiac frequency.	194
5.2.3.6 Skin blood flow.	194
5.2.3.7 Psychophysical variables.	195
5.2.4 Design and analysis.	195
5.3 RESULTS.	196
5.3.1 Body temperatures.	196
5.3.2 Sweating responses.	196
5.3.3 Cardiovascular changes.	201
5.3.3.1 Mean arterial pressure.	201
5.3.3.2 Cardiac frequency.	205
5.3.3.3 Skin blood flow.	205
5.3.4 Ratings of perceived exertion.	209
5.4 DISCUSSION.	209
5.4.1 Sweating and exercise intensity.	211
5.4.2 Sweating and muscle mass.	213
5.4.3 Sweating responses from glabrous skin during isometric exercise.	216
5.4.4 Cutaneous vascular conductance responses.	217
5.5 SUMMARY.	218
5.6 REFERENCES.	219
CHAPTER 6: CONCLUSIONS.	226
6.1 FUTURE RESEARCH.	232
6.2 REFERENCES.	235

LIST OF FIGURES

Figure 1.1 Schematic of thermal and possible non-thermal factors influencing thermoeffector function.....	11
Figure 2.1a Thigh vascular cuffs placed around the upper aspects of the thigh and secured in place with lycra shorts and adhesive tape.....	38
Figure 2.1b Posterior view of subject during resting baseline period.....	38
Figure 2.2 Core temperature changes during 4-min (A, C) and 8-min occlusions (B, D): auditory canal temperature (A, B), and oesophageal temperature (C, D).....	52
Figure 2.3 Changes in mean core, mean skin, and mean body temperature during 4-min (A, C, E) and 8-min occlusions (B, D, F): mean core temperature (A, B), mean skin temperature (C, D), and mean body temperature (E, F).....	53
Figure 2.4 Changes in skin temperature at the head and thorax (A), upper- (B), and lower-extremity (C) during 4 min of occlusion.....	55
Figure 2.5 Changes in skin temperature of the head and thorax (A), upper- (B), and lower-extremity (C) during 8 min of occlusion.....	56
Figure 2.6 Normalised transverse thermal gradient (mean core - mean skin temperature: A), and local transverse gradients of the head and thorax (B), upper- (C), and lower-extremity (D) during 8 min of occlusion.....	57
Figure 2.7 Normalised surface thermal gradients between the forehead and chest (A), chest and forearm (B), and chest and thigh (C) during 8 min of occlusion.....	58
Figure 2.8 Sweat rate response at the forehead (A), chest (B), and forearm (C), and grouped mean (D), during 4-min of occlusion.....	61
Figure 2.9 Sweat rate response at the forehead (A), chest (B), and forearm (C), and grouped mean (D), during 8-min of occlusion.....	62
Figure 2.10 Change in mean sweat rate responses, normalised using the preceding 5-min pre-occlusion baseline, during 4-min and 8-min occlusions.....	63
Figure 2.11 Relative cardiac frequency change during 4-min occlusion and 8-min occlusion. Solid and dashed vertical lines represent 4 and 8 min of occlusion.....	67
Figure 2.12 Percentage change in mean arterial pressure from pre-occlusion baseline during 4 and 8 min of occlusion.....	68
Figure 2.13 Changes in mean arterial pressure and cardiac frequency during the last 2	

min of occlusion and 6 min of active recovery during 4-min occlusion (A) and 8-min occlusion (B).....	71
Figure 2.14 Changes in skin blood flow (normalised as percentage of resting baseline) during 4-min occlusion (A) and 8-min occlusion (B: n=6).....	72
Figure 2.15 Changes in cutaneous vascular conductance during steady-state exercise with 4- min occlusion (A) and 8-min occlusion (B: n=3).....	73
Figure 2.16 Comparison of the changes in normalised skin blood flow and forearm and fingertip skin temperatures (pre-occlusion baseline), measured using laser-Doppler flowmetry during 4 min (A) and 8 min (B) of occlusion.....	75
Figure 2.17 Changes in ratings of perceived exertion (whole-body and legs; A), thermal sensation (B), and thermal discomfort (C), during 4 min of occlusion.....	76
Figure 2.18 Changes in ratings of perceived exertion (whole-body and legs; A), thermal sensation (B), and thermal discomfort (C), during 8 min of occlusion.....	77
Figure 2.19 The relationship between ratings of perceived exertion (whole-body and legs) and cardiac frequency during 4-min (A), and 8-min (B) of occlusion.....	78
Figure 3.1 Exercise protocol with 35 min of steady-state cycling at 35% peak power, followed by two sinusoidal functions oscillating between 30 and 205.6 W (SD 26.3) of peak power for 8 min (control and occlusion waveforms), separated by 10-min of steady-state exercise.....	102
Figure 3.2 Sinusoidal work rate changes (A), oesophageal (B), aural (C), and rectal temperatures (D) changes during three consecutive sine waveforms.....	110
Figure 3.3 Sinusoidal work rate changes (A), oesophageal (B), mean skin temperature (C), and mean body temperature (D) changes during baseline and control and occlusion sine waveforms.....	111
Figure 3.4 Sinusoidal work rate changes (A), head and thorax (B), upper- (C), and lower-extremity (D) skin temperature changes during baseline and both control and occlusion sine waveforms.....	112
Figure 3.5 Sinusoidal work rate variations (A), forehead (B), chest (C), forearm (D), and mean sweat rate (E) changes during control and occlusion sine waveforms.....	115
Figure 3.6 Sinusoidal work rate variations (A), and normalised mean sweat rate during control and occlusion waveforms (B).....	116
Figure 3.7 The relationship between mean sweat rate and oesophageal (A) and mean body	

temperature (B) during the control and occlusion sine waveforms.....	120
Figure 3.8 Sinusoidal work rate changes (A), and mean arterial pressure response curves during control and occlusion sine waves (B).....	121
Figure 3.9 Sinusoidal work rate changes (A), and percentage change in cardiac frequency from baseline during control and occlusion sine waves (B).....	122
Figure 3.10 Sinusoidal work rate variations (A), changes in ratings of perceived exertion - whole-body (B), and ratings of perceived exertion - legs only (C) during both control and occlusion waveforms.....	124
Figure 3.11 The relationship between ratings of perceived exertion (whole-body and legs) and cardiac frequency during control (A), and occlusion (B) sine waveforms.....	125
Figure 3.12 Sinusoidal work rate variations (A), changes in thermal sensation (B), and thermal discomfort (C) during both control and occlusion waveforms.....	126
Figure 4.1 Changes in mean core and skin temperature before, during and after occlusion in supine and upright seated postures.....	154
Figure 4.2 Changes in upper- (forehead) and lower-body (thigh) skin temperature before, during and after occlusion in supine and upright seated postures.....	155
Figure 4.3 Changes in mean sweat rate, normalised using the preceding 5-min pre-occlusion baseline, during supine and upright seated postures.....	157
Figure 4.4 Changes in forehead (A), forearm (B), chest (C), palm (D), and calf (E) sweat rate, before, during occlusion and recovery in supine and upright seated postures.....	158
Figure 4.5 The relationship between mean sweat rate and mean body temperature during occlusion in the supine and upright seated postures.....	159
Figure 4.6 Changes in mean arterial pressure during baseline, occlusion and recovery phases of supine and upright seated posture in normothermia (A) and heated (B) conditions.....	160
Figure 4.7 Cardiac frequency during baseline, occlusion and recovery phases of supine and upright seated posture in normothermia (A) and heated (B) conditions.....	162
Figure 4.8 Changes in skin blood flow site during baseline, occlusion and recovery phases of supine and upright seated posture in normothermia (A) and heated (B) conditions.....	163
Figure 5.1a Upright seated posture during the study in the pre-heating, baseline, exercise	

and recovery phases.....	188
Figure 5.1b Position of legs during baseline, exercise, and recovery phases.....	188
Figure 5.2 Changes in mean core and skin temperature before, during and after 30, 40, and 50% MVC isometric handgrip (A, C, E) and isometric knee extension exercise at 30 MVC of isometric handgrip exercise (B, D, F).....	197
Figure 5.3 Changes in forehead (A), forearm (B), chest (C), palm (D), thigh (E), and mean sweat rate (F) during 60 s of isometric handgrip and knee extension exercise at 30% maximal voluntary contraction.....	198
Figure 5.4 Changes in mean sweat rate during baseline, isometric handgrip exercise and knee extension contractions for 60 s, and recovery phases.....	199
Figure 5.5 Changes in mean sweat rate during isometric handgrip exercise and knee extension exercise.	200
Figure 5.6 Sweat rate changes on the palm during 60 s of isometric handgrip and knee extension exercise.....	202
Figure 5.7 Changes in regional sweating between the forehead, chest, forearm, thigh and palm during isometric handgrip and knee extension exercise.....	203
Figure 5.8 Changes in mean arterial pressure during isometric handgrip and knee extension exercise.....	204
Figure 5.9 Changes in cardiac frequency during isometric handgrip and knee extension exercise.....	206
Figure 5.10 Change in skin blood flow, compared to percentage of baseline, during isometric handgrip and knee extension exercise.....	207
Figure 5.11 Ratings of perceived exertion during isometric handgrip and knee extension exercise.....	210
Figure 6.1 Schematic of thermal and non-thermal factors influencing thermoeffector function arising from these studies exercise.....	231

LIST OF TABLES

Table 2.1 Subject characteristics.....	37
Table 2.2 Baseline variables during the 5 min resting period prior to the commencement of steady-state exercise.	50
Table 2.3 Body temperature onset and peak phase delays during 4-min occlusion.....	59
Table 2.4 Body temperature onset and peak phase delays during 8-min occlusion.....	59
Table 2.5 Individual and mean sweat rate onset and peak phase delays (min) during 4-min and 8-min occlusions.....	64
Table 2.6 Local skin temperature delays at the sweat measurement sites during 4-min and 8-min occlusions.....	64
Table 2.7 Systolic (SBP), diastolic (DBP) and mean arterial blood pressure (MAP; mmHg) changes during pre-occlusion baseline (5-min before occlusion) and during 4 and 8 min of occlusion.....	69
Table 3.1 Physical characteristics of subjects.....	100
Table 3.2 Inter-subject oesophageal onset and peak phase delays (min) during control and occlusion sine waveforms.....	114
Table 3.3 Inter-subject mean skin temperature onset and peak phase delays (min) during control and occlusion sine waveforms.	114
Table 3.4 Inter-subject mean sweat rate onset and peak phase delays (min) during control and occlusion sine waveforms.....	118
Table 4.1 Breathing frequency during baseline, occlusion and recovery in normothermia and heated conditions of supine and upright seated postures.....	165
Table 5.1 Cutaneous vascular conductance at the inactive forearm during baseline, isometric handgrip and knee extension exercises, and recovery.....	208

ACKNOWLEDGMENTS

Foremost I would like to thank my supervisor Nigel Taylor for his expert guidance, patience, and his unswerving encouragement. Without his tutelage this project would not have been completed, and to this I owe him enormous gratitude. I would also like to thank Herb Groeller for his scholarship and good humour throughout the project. Also, I thank the academic staff of the School of Health Sciences who provided encouragement during this project.

There were many colleagues who assisted in these experiments and I thank Cassandra Haley, Jo Caldwell, and all the Dutch students for their valuable contributions to hours of data collection. They provided technical assistance and added humour to the long hours. I thank the subjects who participated in this project for their commitment to science and their invaluable contribution to this research.

A huge thank you to my friends for all their support throughout these years. Finally to Emma, Amélie, and my parents, who were a constant source of encouragement and had the faith in me that this project would be completed.

ABSTRACT

The primary control of thermoeffector responses arises from the integration of core and skin thermoafferent signals. However, other thermal pathways, not ascribed to the known core and skin regions, may also contribute to sweating. In addition, the influence of several non-thermal factors on human thermoregulation remain to be elucidated.

A series of four human experiments were conducted to investigate the role of thermal and non-thermal factors on thermoeffector responses during exercise and resting conditions. Two studies were conducted with subjects exercising in a thermoneutral environment (air temperature 25 C, relative humidity 50%). Bilateral venous occlusion of the legs was implemented to retard venous return and increase local muscle temperature, whilst delaying changes in core temperature. The second study examined the effect of venous occlusion on sudomotor responses during a sinusoidal forcing function. Exercise sine waves uncouple body temperatures and allows differentiation of phase delays between thermoafferents and thermoeffectors. The third and fourth studies involved resting subjects exposed to mildly hyperthermic conditions (air temperature 36 C, relative humidity 60% and water-perfusion suit 36 C). The third study used posture and venous occlusion of the legs to displace central blood volume unloading baroreceptors. In the final study, subjects performed isometric handgrip and knee extension exercise over a range of absolute and relative intensities. This permitted examination of muscle mass differences and exercise intensity on thermoeffector responses.

Five key observations arose from these studies. First, venous occlusive exercise delays the increase in core temperature without delaying increases in sweating (219.6 versus 63.6 s; $P < 0.05$). Thus, the feedback during sweating may have arisen from sites other than the body core, with the active muscle being the most likely site. This provides circumstantial evidence for the possible existence of intramuscular thermoreceptors. Second, sweating was not different between upright-seated and supine postures during venous occlusion (0.108 versus 0.109 $\text{mg}\cdot\text{cm}^{-2}\cdot\text{min}^{-1}$; $P < 0.05$), suggesting that

baroreceptor unloading does not modulate sudomotor function. Third, venous occlusion alone, irrespective of posture, attenuates sweating at sites distal to the level of occlusion, while simultaneously enhancing sweating at sites proximal to occlusion. Fourth, sweat rate was found to be proportional to exercise intensity (handgrip: $r=0.79$, knee extension: $r=0.85$; both $P<0.05$), irrespective of muscle mass. Fifth, the size of the muscle mass recruited during isometric exercise was not significantly related to the sweating response ($P>0.05$). It appears that feedforward activation was the primary non-thermal driver of sweating, as body temperatures did not change during the exercise bout. Collectively, these findings suggest that thermal afferents, other than the known core and cutaneous sites, may contribute to sweating during dynamic exercise, and non-thermal sweating appears to be influenced by exercise intensity and the magnitude of the thermal load. However, the exact role and integration of thermal and non-thermal afferents is yet to be elucidated.