



UNIVERSITY
OF WOLLONGONG
AUSTRALIA

University of Wollongong
Research Online

University of Wollongong Thesis Collection
1954-2016

University of Wollongong Thesis Collections

2010

Implementation of spatial shift estimation approach for 3D profilometry based on digital fringe projection

Pu Cao

University of Wollongong

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part of this work may be reproduced by any process, nor may any other exclusive right be exercised, without the permission of the author.

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Recommended Citation

Cao, Pu, Implementation of spatial shift estimation approach for 3D profilometry based on digital fringe projection, Master of Engineering Research thesis, University of Wollongong. School of Electrical, Computer and Telecommunications Engineering, University of Wollongong, 2010. <http://ro.uow.edu.au/theses/3170>

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

NOTE

This online version of the thesis may have different page formatting and pagination from the paper copy held in the University of Wollongong Library.

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

**IMPLEMENTATION OF SPATIAL SHIFT
ESTIMATION APPROACH FOR 3D
PROFILOMETRY BASED ON DIGITAL
FRINGE PROJECTION**

**A thesis submitted in fulfilment of the requirement for the award of the
degree of**

Master of Engineering Research

from

University of Wollongong

By

PU CAO

B.E, Huazhong University of Science and Technology of China

Master of Internet Technology, University of Wollongong

School of Electrical, Computer and Telecommunications

Engineering

2010

CERTIFICATION

I, Pu Cao, declare that this thesis, submitted in partial fulfilment of the requirements for the award of Master of Engineering Research, in the School of Electrical, Computer & Telecommunications Engineering, University of Wollongong, is wholly my own work unless otherwise referenced or acknowledged. The document has not been submitted for qualifications at any other academic institution.

Pu Cao

24 March 2010

TABLE OF CONTENT

LIST OF TABLES	V
LIST OF FIGURES	VI
LIST OF ABBREVIATIONS	VIII
ABSTRACT.....	IX
ACKNOWLEDGEMENT	XI
LIST OF PUBLICATIONS.....	XII
Chapter 1 Introduction.....	1
1.1 General Introduction	2
1.1.1 Three-Dimensional profile measurement.....	2
1.1.2 Three-Dimensional profile measurement using Digital Fringe Projection ..	3
1.2 Literature Review.....	3
1.2.1 Introduction.....	3
1.2.2 Fringe Projection Profilometry based on Digital Fringe Projection	3
1.2.3 Phase Difference Estimation Profilometry.....	5
1.2.3.1 Fourier Transform Profilometry	7
1.2.3.2 Phase Shifting Profilometry	9
1.2.4 Spatial Shift Estimation Profilometry	12
1.2.4.1 Spatial Shift Estimation.....	12
1.2.4.2 Direct Shift Estimation Algorithm	13

1.3 Existing Issues.....	17
1.4 Aim of the thesis work	18
1.5 Contribution of the Thesis Work	19
1.6 Organization of thesis.....	20
Chapter 2 Implementation of SSE Approach	21
2.1 Introduction	21
2.2 DFP System Model	21
2.2.1 System Structure	21
2.2.1.1 Projection	23
2.2.1.2 Acquisition	23
2.2.2 Software Interface	24
2.3 Captured Image Processing	26
2.3.1 Pre-processing of Captured Image.....	27
2.3.1.1 Filter Design.....	29
2.3.1.2 Normalization of Fringe.....	32
2.3.2 Improved IFSE.....	34
2.3.3 Reconstruction of Object Surface	37
2.4 Conclusion	37
Charpter 3 Shift Unwrapping in SSE Approach.....	39
3.1 Introduction	39

3.2 The Wrapping Problem	39
3.2.1 Wrapping Problem in Conventional PDE approach.....	40
3.2.2 Wrapping Problem in SSE approach.....	41
3.3 The Unwrapping.....	42
3.3.1 Phase Unwrapping, a Review	43
3.3.2 Spatial Shift Unwrapping in SSE based FTP	44
3.4 Experiments and Results	46
3.5 Conclusion	47
Chapter 4 Improvement of SSE	49
4.1 Introduction	49
4.2 The Limitation of Traditional Sinusoidal Fringe.....	49
4.2.1 Disadvantage of sinusoidal fringe.....	50
4.2.1.1 Finite Projection and Screen Door Effect	50
4.2.1.2 Gamma Distortion.....	52
4.2.1.3 Influence of Environment	54
4.2.2 Limitation in IFSE	56
4.3 The Improvement of SSE.....	58
4.3.1 Rules of Fringe Design	59
4.3.2 The Selection of Sawtooth	61
4.3.2.1 Introduction of sawtooth fringe.....	61
4.3.2.2 Advantage of sawtooth fringe	63

4.4 Experiments and Results	65
4.5 Conclusion	71
Chapter 5 Conclusions and Future Work	73
5.1 Conclusions	73
5.2 Suggestions for Future Research Work	74
REFERENCES.....	76
APPENDIX-Program Codes.....	81

LIST OF TABLES

Table 2.1 Projector Specification	23
---	----

LIST OF FIGURES

Figure 1.1 Schematic diagram of DFP system.....	5
Figure 1.2 Flowchart of FTP processing.....	9
Figure 1.3 Flowchart of PSP processing.....	11
Figure 1.4 Flowchart of IFSE processing.....	16
Figure 2.1 Digital Fringe Projection arrangement.....	22
Figure 2.2 The experimental system setup.....	22
Figure 2.3 Flowchart of fringe generation.....	25
Figure 2.4 Fringe produced (Contrast = 1.0, Phase =0, Frequency = 500).....	25
Figure 2.5 Captured image of reference plane (Left) and object surface (Right).....	26
Figure 2.6 Acquired fringe data from reference plane.....	27
Figure 2.7 Acquired fringe data from captured image.....	28
Figure 2.8 Projected fringes on object surface.....	29
Figure 2.9 Frequency spectrum of deformed signal.....	30
Figure 2.10 Frequency spectrum of designed filter.....	31
Figure 2.11 Acquired fringe data after filter.....	31
Figure 2.12 Fringe divided into monotonic intervals.....	32
Figure 2.13 Normalized fringe data.....	34
Figure 2.14 Flowchart of improved IFSE processing.....	36
Figure 2.15 3D Reconstruct results.....	37
Figure 3.1 Original and wrapped phase maps.....	41
Figure 3.2 Original and wrapped shift maps.....	42
Figure 3.3 Spatial shift unwrapping and high distribution estimation.....	47
Figure 4.1 Screen Door Effect.....	51
Figure 4.2 Acquired fringe data from captured image of reference plane.....	54
Figure 4.3 Length change introduced by projection angle.....	55
Figure 4.4 Sawtooth waveforms.....	62
Figure 4.5 Sawtooth fringe produced.....	63

Figure 4.6 Captured sawtooth image of reference plane (Left) and object surface (Right)	65
Figure 4.7 Acquired sawtooth fringe data from captured image ($y_1=750$).....	66
Figure 4.8 Normalized sawtooth fringe data.....	67
Figure 4.9 Test image with white and black.....	67
Figure 4.10 Intensity data of test image in theory.....	68
Figure 4.11 Intensity data retrieved from projected test image.....	68
Figure 4.12 Retrieved spatial shift and high distribution result.....	70

LIST OF ABBREVIATIONS

FPP	Fringe Pattern Profilometry
3D	Three-Dimensional
DFP	Digital Fringe Projection
PDE	Phase Difference Estimation
SSE	Spatial Shift Estimation
FTP	Fourier Transform Profilometry
PSP	Phase Shifting Profilometry
PMP	Phase Measuring Profilometry
MMP	Modulation Measurement Profilometry
SPD	Spatial Phase Detection
PLL	Phase Lock Loop
MT	Moiré Technique
FFT	fast Fourier Transform
IFT	inverse Fourier Transform
IFSE	Inverse Function based Shift Estimation
PC	Personal Computer
FIR	Finite Impulse Response
SDE	Screen Door Effect

ABSTRACT

Fringe Pattern Profilometry (FPP) based on Digital Fringe Projection (DFP) is a promising optical noncontact three-dimension (3D) profile measurement technologies due to its accuracy and flexibility. Popular FPP approaches retrieve the 3D profile information using the detection of phase difference, called the Phase Difference Estimation (PDE). Recently, a new kind of FPP approach, referred to as Spatial Shift Estimation (SSE) is introduced, which retrieves the 3D profile information using the detection of spatial shift instead of phase different. Compared with PDE approaches, SSE approaches are advantageous in that the projected fringe patterns do not need to be sinusoidal, and thus accurate reconstruction can be obtained even when nonlinear distortions exist on the fringe patterns. However, efficient implementation of SSE approaches is still an issue.

This thesis work aims to implement the SSE approach for 3D profile measurement based on digital fringe projection. Firstly, a DFP system is designed and adopted in our laboratory, which is utilized as an experiment platform for the work presented in this thesis. SSE approaches are implemented on the system. Some problems associated with the implementation are studied and solved, including elimination of noise and distortion in the fringe patterns. Furthermore, an improved Inverse Function based Shift Estimation (IFSE) method is proposed to improve the performance of SSE approaches.

Secondly, shift unwrapping problem associated with SSE is investigated. Through reviewing the phase unwrapping problem in PDE based FPP, we indicate that a similar shift unwrapping problem also exists in SSE approaches. A method for solving the problem has been proposed and the experiment results are presented to demonstrate the effectiveness of the proposed method.

Finally, the research is carried out to improve the efficiency of SSE approaches. SSE approaches have the advantages that the projected fringe patterns are no longer required to be sinusoidal nor periodic. Therefore, we can choose a fringe pattern which has strong counter-interference capability against the noise and nonlinear distortion with simple implementation. Based on analysis of the limitations of traditional sinusoidal fringe, we propose to use sawtooth fringe pattern. Theoretical analysis has been given to evaluate the complexity of the proposed sawtooth fringe pattern based algorithms, and practical experiment are performed at last to prove the efficiency of this proposed fringe pattern.

ACKNOWLEDGEMENT

I wish to express my deepest appreciation to all the people that have contributed to the completion of this thesis. First of all, I would like to express my genuine gratitude to Associate Professor Jiangtao Xi and Professor Joe Chicharo, my supervisors, for their invaluable guidance and encouragement in the research and preparation of this thesis. Without their patience, this work would not be possible.

I sincerely thank Dr. Matthew J. Baker and Dr. Yingsong Hu for sharing their knowledge and experiences in the area of three-dimensional profile measurement by digital video fringe projection. They gave me patient and valuable direction throughout the experiment process.

I am also indebted to all my best friends for their friendship and supports.

Finally, I would like to thank my grandmother and my parents for their endless love, which encourages me to overcome all problems.

LIST OF PUBLICATIONS

Pu Cao, Jiangtao Xi, Joe Chicharo and Yanguang Yu, “A Fringe Period Unwrapping Technique for Digital Fringe Profilometry based on Spatial Shift Estimation”, in *Optical Inspection and Metrology for Non-Optics Industries*, edited by Peisen S. Huang, Toru Yoshizawa, Kevin G. Harding, Proceedings of SPIE Vol. 7432 (SPIE, Bellingham, WA 2009) 743208.