



UNIVERSITY
OF WOLLONGONG
AUSTRALIA

University of Wollongong
Research Online

University of Wollongong Thesis Collection
1954-2016

University of Wollongong Thesis Collections

2010

Posture detection by kernel PCA-based manifold learning

Peng Cheng
University of Wollongong

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part of this work may be reproduced by any process, nor may any other exclusive right be exercised, without the permission of the author.

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Recommended Citation

Cheng, Peng, Posture detection by kernel PCA-based manifold learning, Master of Computer Science thesis, School of Computer Science and Software Engineering - Faculty of Informatics, University of Wollongong, 2010. <http://ro.uow.edu.au/theses/3183>

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

NOTE

This online version of the thesis may have different page formatting and pagination from the paper copy held in the University of Wollongong Library.

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Posture Detection by Kernel PCA-based Manifold Learning

A thesis submitted in fulfillment of the
requirements for the award of the degree

Master of Computer Science

from

UNIVERSITY OF WOLLONGONG

by

Peng Cheng

School of Computer Science and Software Engineering

September 2010

© Copyright 2010

by

Peng Cheng

All Rights Reserved

Dedicated to
Yuan-ying Cheng and Er-liang Zhang

Declaration

This is to certify that the work reported in this thesis was done by the author, unless specified otherwise, and that no part of it has been submitted in a thesis to any other university or similar institution.

Peng Cheng
September 29, 2010

Abstract

A Posture detection system aims to identify and localize any specific types of postures in images and video sequences. Unlike human or pedestrian detection where only one class of objects is required to be detected, posture detection is designed to detect multiple classes of postures. It remains a challenging problem because human bodies are complex and articulated with very diversified appearances. Posture detection often relies on a good generalization of the variations from large quantity of training examples that cover different situations. In this thesis, we devise a new posture detection framework that combines the histogram of gradient (HOG)-based feature with a novel manifold-based open-set classifier designed to achieve a better generalization. In this framework, each posture class is represented by a complex manifold that lies in the high-dimensional visual input space. The manifold is learned using Kernel PCA. Classification of a new observation is achieved by comparing it to each trained posture manifold. In addition, a new greedy Kernel PCA approximation algorithm is proposed to speed up the learning of the posture manifolds. The approximation algorithm seeks to remove the redundant training samples in the kernel space while best retaining the accuracy of kernel mapping, resulting in a new kernel PCA model that provides almost

identical learning and classification ability to the original kernel PCA with significantly lower computational cost. Both the detection framework and approximation algorithm were tested on 2D and 3D artificial datasets and real human and posture datasets. The results have shown that the approximation algorithm is effective and the proposed framework can provide accurate and efficient detection of different postures with a relatively small training set.

Acknowledgments

Great thanks to my supervisors, Associate Professor Wanqing Li and Professor Philip Ogunbona, for their guidance and demonstration of the required attitudes and principles of a researcher, and their constant encouragement and motivation. Also great thanks to everyone in the Advanced Multimedia Research Lab: Ce Zhan, Nguyen Duc Thanh, Alister Coordinator, Shenbo Guo, Jun Hu, Zhenqiang Jiang and Zhou Sun for sharing their ideas and offering constructive discussions. This thesis would have not been completed without their help.

Contents

Abstract	v
Acknowledgments	vii
0.1 Glossary	1
0.2 Notations	4
1 Introduction	7
1.1 Motivation	7
1.2 Contributions	9
1.3 Publication List	9
1.4 Outline of the thesis	9
2 Literature Review	11
2.1 Overview	11
2.2 Detection by patterns	15
2.2.1 Extraction of ROIs	17
2.2.2 Feature extraction	19

2.2.3	Classification	28
2.2.4	Merging	36
2.2.5	Summary	36
2.3	Detection by local descriptors	37
2.3.1	Local descriptors	38
2.3.2	Combination of local cues	41
2.3.3	Summary	46
2.4	Performance Evaluation	47
2.4.1	Datasets	47
2.4.2	Evaluation criteria	50
2.5	Major Challenges	53
2.5.1	Occlusion	53
2.5.2	Articulation	56
2.5.3	Clothing	56
2.5.4	Illumination	57
2.5.5	Image degradation	59
2.5.6	Cluttered background	59
2.6	Summary and Discussion	60
3	Kernel PCA for open-set classification	61
3.1	Introduction	61
3.2	Overview of manifold learning	64
3.3	Kernel PCA	65
3.4	Open-set Classification based on Reconstruction Error	69

3.5	Greedy Approximation by Minimizing the Mapping Error	70
3.5.1	The existant methods	71
3.5.2	The proposed method	73
3.6	Performance Evaluation	77
3.6.1	Mapping and Reconstruction	77
3.6.2	Open-set Classification	79
3.7	Discussion	83
4	Posture Detection by Kernel PCA	86
4.1	System Description	86
4.2	Extraction of HOG	87
4.3	Training	88
4.4	Detection	89
4.5	Experimental Results	93
4.5.1	Detection of humans	93
4.5.2	Detection of postures	95
4.5.3	Posture detection with KPCA approximation	97
4.5.4	Detection of posture in videos	97
4.6	Discussion	98
5	Conclusion	99
5.1	Summary	99
5.2	Future Work	100
	Bibliography	102

List of Tables

2.1	The datasets that may be used for evaluating posture detection algorithms.	49
2.2	Summary of the key literature	53
3.1	Number of samples chosen and dimensions of the six test datasets . . .	78
3.2	Specification of 6 datasets and corresponding parameters for the reduced KPCA	81

List of Figures

2.1	Top view of a walking person, its shape can only be recognized if the viewpoint is known.	13
2.2	The framework of detection by patterns	16
2.3	From left to right: input image, silhouette, contour, and histograms of x and y axes[36]	21
2.4	Examples of rectangular features used in [75]	23
2.5	Generation of the edgelet feature (a) [80] and the HOG feature (b) [19]	24
2.6	Hierarchical structure of the decision tree used in [33] and [46]	30
2.7	The Graph indicating causality of a 2D markov random field	35
2.8	Detection by local descriptors CITE	38
2.9	Comparison between the combination process of the implicit shape model in [44],[65] and [66]	45
2.10	The four cases of occlusion	55
2.11	The four cases of clothing variations	58

3.1	Manifold representation (red solid curve) versus cluster representation (green ellipses) of a scattering dataset, this picture illustrates the simplicity and fidelity of the manifold representation comparing to its opponent.	64
3.2	Mapping errors (y axis) w.r.t. m (x axis), the results obtained by Franc's algorithm and the proposed algorithm are represented by red and blue curves respectively	80
3.3	Reconstruction errors (y axis) w.r.t. m (x axis), the results obtained by Franc's algorithm and the proposed algorithm are represented by red and blue curves respectively	80
3.4	Decision manifolds of the open-set classifiers trained for the six synthesized objects. Column (a) shows training data in 3D data space, for 2D data this column is missing because the data are illustrated in other columns. Column (b), (c) and (d) show the classification boundaries obtained by the original KPCA, the proposed KPCA approximation method and the Franc's approximation method respectively.	82
3.5	The areas under ROC curves (AUC) of the three open-set classifiers w.r.t. m (horizontal axis): Red-Original KPCA, Green-Proposed approximation method, Blue-Franc's method	84
4.1	Schematic of the proposed posture detection system	87
4.2	The ROC curves of the proposed detector and Dalal's detector [19] on human detection task with different kernel width w	94

4.3	ROC curves of the proposed detector in human detection task with different kernel width w when negative examples are introduced, the result is compared to Dalal's detector.	95
4.4	Typical images for the 12 postures from the Weizmann action dataset [7]	95
4.5	(a) ROC curve of the proposed detector on Weizmann action database with different kernel width w (b) The confusion matrix of the proposed detector. P1-P12 represents the 12 postures and NG represents the negative samples	96
4.6	ROC curve of the proposed detector on Weizmann action database with different size of the reduced set m in KPCA approximation	97
4.7	Some detection results on the images from ETRI and INRIA videos . .	98

0.1 Glossary

Adaboost : Adaptive boosting, a boosting algorithm for ensemble learning.

auROC : Area under Receiver's Operating Characteristic curve, a scalar equal to the integration of an ROC curve from 0 to 1, used to measure the performance of classifiers.

DET : Decision Error Trade-off curve, a curve showing the missing rate versus the false positive per window (FPPW).

DR : Detection Rate, a scalar denoting the percentage of successful detection per window.

DT : Distance Transform, a 2D pixel map showing the distance from pixels to a given contour.

DoG : Derivative of Gaussian.

FPPW : False Positive per Window, a scalar denoting the percentage of false detection per window.

GMM : Gaussian Mixture Model, a statistic model for probabilistic estimation of a multivariate distribution.

HMM : Hidden Markov Model, a random process model primarily used in modeling temporary events.

HOG : Histogram of Gradient, a visual feature mainly used in human detection and body representation.

ICA : Independent Component Analysis: a toolset consisting of several matrix decomposition and factorization techniques that aim to isolate statistically mutually independent bases from a set of data.

ISM : Implicit Shape Model, an object detection framework by synthesizing local detection results through spatial voting.

Isomap : Isometric mapping, a nonlinear manifold embedding technique to reconstruct a mapping space that preserves the graph-distance.

KPCA :Kernel Principal Component Analysis, a generalized nonlinear manifold learning framework that performs the principal component analysis in a kernelized feature space.

KNN :K-Nearest Neighbors, a simple example-based classifier that labels each unknown datum to the majority of its K-Nearest Neighbors.

LBP : Local Binary Pattern, a visual descriptor that is invariant to illumination.

LLE : Locally Linear Embedding: a nonlinear manifold embedding technique to reconstruct a mapping space that minimizes the change of distances between adjacent data.

LPP : Locally Preserving Projection, a linear dimensionality reduction technique that aims to find a linear mapping to a lower dimension space that minimizes the same objective function with Laplacian eigenmap.

MDS : Multidimensional Scaling, a toolset that aims to reconstruct a equivalent dataset in an explicit Euclidean space from a similarity or dissimilarity matrix.

MHI : Motion History Image, a 2D greyscale image characterising motion information of a binary video.

MRF : Markov Random Field, a 2D statistic graphic model used to model spatially correlated random variables.

NMF : Non-negative Matrix Factorization, a matrix decomposition and factorization technique that aims to isolate non-negative bases from a dataset.

PCA : Principal Component Analysis.

RANSAC : Random Sample Consensus, a fast model estimation meta-algorithm.

RBF : Radial Basis Function, a bivariate function in the form of $f(\|x - y\|^2)$.

RMI : Recurrent Motion Image, a 2D greyscale image characterising recurrent motion information of a binary video.

ROC : Receiver's Operating Characteristic curve, a curve showing the detection rate versus the false positive detection.

ROI : Region of Interest.

SIFT : Scale Invariant feature transform.

SVM : Support Vector Machine.

0.2 Notations

$E(\cdot)$: expectation of a variable or a set of random vectors.

$cov(\cdot)$: covariance matrix of a variable or a set of random vectors.

$p(X)$: marginal probability or likelihood of a random variable X .

$p(X|Y)$: conditional probability or likelihood of X given Y .

X : the column matrix of a training dataset.

x_i : the i^{th} vector in the training dataset.

c_i : the class of the i^{th} example.

$\phi(\cdot)$: the implicit non-linear mapping that maps $[\cdot]$ into an infinite-dimensional feature space.

Φ : the implicit column matrix of $\phi(x_i)$.

$k(\cdot, \cdot)$: the positive semidefinite bivariate kernel function that defines $\phi(\cdot)$ by its inner-product.

K : the inner-product matrix of $\phi(x_i)$ where $K_{ij} = k(x_i, x_j)$.

H : the constant matrix for centralizing data in the feature space. $H = I_n - 1_n$, I_n is an $n \times n$ identity matrix and 1_n denotes a $n \times n$ matrix in which each element takes the value of $1/n$.

$\hat{\Phi}$: the implicit column matrix of $\phi(x_i)$ centered at zero mean.

$\hat{\phi}(x_i)$: the i^{th} column vector of $\hat{\Phi}$.

\hat{K} : the inner-product matrix of $\hat{\Phi}$, $\hat{K} = HKH$.

λ_i : the i^{th} eigenvalue.

D : the diagonal matrix with each diagonal element $D_{ii} = \lambda_i$.

P : the implicit column matrix of eigenvectors of $\text{cov}(\hat{\Phi})$ (also known as principal components).

A : the column matrix of eigenvectors of \hat{K} .

z : an arbitrary datum sample in the test dataset to be classified.

c : the ground truth of z .

$y(\cdot)$: the function that maps z into the subspace of principal components in the feature space.

H_A : the abbreviation for HA , it is the most important matrix in defining the KPCA model and the projection $y(\cdot)$.

$w(\cdot)$: polynomial part of $y(\cdot)$ defined by $w(\cdot) = (H_A)^T k(X, \cdot)$, where $k(X, \cdot) = [k(x_1, \cdot), k(x_2, \cdot) \dots k(x_n, \cdot)]^T$

b : the constant part of $y(\cdot)$ defined by $b = (H_A)^T K 1_n$

U : the multidimensional scaling result of K .

\tilde{X} : the column matrix of a subset of the training dataset selected by a kernel approximation algorithm.

\tilde{P} : shortened P for faster KPCA mapping $y(\cdot)$.

\tilde{H}_A : shortened H_A for faster KPCA mapping $y(\cdot)$.

$W_{\tilde{X}}$: the w -mapping of the subset \tilde{X} into the KPCA mapping space (the column space of the original principal components P).

Q and R : QR decomposition of $D_n^{\frac{1}{2}}W_{\tilde{X}}$.

V : the set of $D_n^{\frac{1}{2}}W_{\tilde{X}}$ orthonormalized with $W_{\tilde{X}}$.