

University of Wollongong Theses Collection

University of Wollongong Theses Collection

University of Wollongong

Year 2008

Surface coatings for 3-piece freight bogie
centre bearings

Matthew J. Franklin
University of Wollongong

Franklin, Matthew J, Surface coatings for 3-piece freight bogie centre bearings, ME-Res thesis, Faculty of Engineering, University of Wollongong, 2008. <http://ro.uow.edu.au/theses/138>

This paper is posted at Research Online.
<http://ro.uow.edu.au/theses/138>

NOTE

This online version of the thesis may have different page formatting and pagination from the paper copy held in the University of Wollongong Library.

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

References

- 1 Dukkupati, Rao V., Amyot, Joseph R., “Computer-aided simulation in railway dynamics”, Marcel Dekker, Inc., 1988.
- 2 S. Richmond, “Truck center bowl rotational resistance – the evaluation of lubrication and liner schemes by full scale laboratory testing”, Rail Transportation Division, Vol. 6, Rail Transportation American Society for Mechanical Engineers (ASME), 1993, pp. 13-30.
- 3 S. Simson, “Project 82: Bogie rotation friction management Bogie Design Factors”, Rail CRC Rail Research Industry Report, pp. 1-4.
- 4 Huimin Wu, “Effects of truck centre bowl lubrication on vehicle curving and lateral stability”, Association of American Railroads – Transportation Technology Centre, Inc., Report R-959, December, 2002.
- 5 Huimin Wu, Jim Robeda, Tom Guins, “Truck centre plate lubrication practice study and recommendations”, Association of American Railroads – Transportation Technology Centre, Inc., Report R-966, May, 2004.
- 6 Personal communication with Mr Scott Simson.
- 7 A. Stucki Co., *Yard and Shop Inspection Pocket Guide*, Revised 3rd August 2002.
- 8 McClanachan, Mitchell J., “Investigation of extreme wagon dynamics in Central Queensland coal trains”, Master of Engineering Thesis, Central Queensland University, 1999.
- 9 Personal communication with United Goninan staff.
- 10 Draft Code of Practice for the Defined Interstate Rail Network, Volume 5, Rollingstock Part 3: Freight cars – Specific requirements and recommendations, Section

1 – Design and construction, AROU Version 1, November 2002.

11 Wu, Huimin, and Robeda, James, “Effects of bogie centre plate lubrication on vehicle curving and lateral stability”, *Vehicle System Dynamics Supplement*, Vol. 41, 2004, pages 292-301.

12 Scott Simson, “Impact load in longitudinal train dynamics on centre bowl liners”, *Rail CRC Workshop*, Brisbane, 2004, pages 1-8.

13 Vermeulen, M., “Wear research on large-scale test specimen”, *Wear*, Vol. 132, 1989, 287-302.

14 Zsidai, L., De Baets, P., Samyn, P., Kalacska, G., Van Peteghem, A.P., Van Parys, F., “The tribological behaviour of engineering plastics during sliding friction with small-scale specimens”, *Wear*, Vol. 253, 2002, pp. 673-688.

15 Samyn, P., Quintellier, J., Ost, W., De Baets, P., Schoukens, G., “Sliding behaviour of pure polyester and polyester-PTFE filled bulk composites in overload conditions”, *Polymer testing*, Vol. 24, 2005, pp 588-603.

16 Samyn, P., De Baets, P., Schoukens, G., Van Peteghem, A.P., “Large-scale tests on friction and wear of engineering polymers for material selection in highly loaded sliding systems”, *Materials and design*, Vol. 27, 2006, pp. 535-555.

17 Samyn, P., Van Schepdael, L., Leendertz, J.S., Gerber, A., Van Paepegem, W., De Baets, P., Degrieck, J., “Large-scale friction and wear tests on a hybrid UHMWPE-pad/primer coating combination used as bearing element in an extremely high-loaded

ball-joint”, Tribology International, Vol. 39, 2006, pp. 796-811.

18 Samyn, P., De Baets, P., Schoukens, G., Quintellier, J., “Wear transitions and stability of polyoxymethylene homopolymer in highly loaded applications compared to small-scale testing”, Tribology International, Vol. 40, 2007, pp. 819-833.

19 Samyn, P., Van Paepegem, W., Leendertz, J.S., Suister, E., Van Schepdael, L., Degrieck, J., De Baets, P., “Global analysis and constructional aspects in the redesign of bearing elements for a movable storm surge barrier”, Engineering Structures, Vol. 29, 2007, pp. 2673-2691.

20 Samyn, P., Van Schepdael, L., Leendertz, J.S., Gerber, A., Van Paepegem, W., Degrieck, J., De Baets, P., “Full-scale analysis of deformation and stress distribution for constrained composite bearing elements under compressive yielding conditions”, Materials and Design, Vol. 28, 2007, pp. 2450-2470.

21 Personal communication with Dr Stephen Marich.

22 Engineering Sciences Data Unit (ESDU), Engineering sciences data item No. 76029 : *A guide on the design and selection of dry rubbing bearings* from the tribology sub-series.

23 Williams, J.A., “Wear and wear particles – some fundamentals”, Tribology International, Vol. 38, 2005, pp. 863-870.

24 Hockenull, B.S., Kopalinsky, E.M., Oxley, P.L.B., “An investigation of the role of low cycle fatigue in producing surface damage in sliding metallic friction”, Wear, Vol.

148, 1991, pp. 135-146.

25 Suh, N.P., "The delamination theory of wear", *Wear*, Vol. 25, 1973, pp. 111-124.

26 Stachowiak, G.W., Batchelor, A.W., *Engineering tribology*, Elsevier Butterworth-Heinemann, 2005.

27 Ludema, K.C., "Sliding and adhesive wear" chapter, *ASM Handbook*, Volume 18, "Friction, lubrication and wear technology", pp. 236-241.

28 Meng, H.C., Ludema, K.C., "Wear models and predictive equations: their form and content", *Wear*, Vol. 181-183, 1995, pp 443-457.

29 Challen, J.M., Oxley, P.L.B., "An explanation of the different regimes of friction and wear using asperity deformation models", *Wear*, Vol. 53, 1979, pp. 229-243.

30 Blau, P.J., "The significance and use of the friction co-efficient", *Tribology International*, Vol. 34, 2001, pp. 585-591.

31 Kopalinsky, E.M., Oxley, P.L.B., "Explaining the mechanics of metallic sliding friction and wear in terms of slipline field models of asperity deformation", *Wear*, Vol. 190, 1995, pp. 145-154.

32 Ludema, K.C., *Tribology in the USA and the Former Soviet Union: Studies and Applications: Section 2.1 Friction*, Editors: Belyi, V.A., Ludema, K.C., Myshkin, N.K., Allerton Press Inc., 1994, pp. 19-27.

33 Samandi, M., MATL352 Degradation of Materials subject lecture notes, 1996.

- 34 Lacey, P., and Torrance, A.A., "The calculation of wear co-efficients for plastic contacts", *Wear*, Vol. 145, 1991, pp. 367-383.
- 35 Mellor, B.G., *Surface coatings for protection against wear*, Woodhead Publishing Limited, Cambridge, 2006.
- 36 Johnson, K.L., *Contact mechanics*, Cambridge University Press, 1985.
- 37 Williams, J.A., "Wear modeling: analytical, computational and mapping: a continuum mechanics approach", *Wear*, 1999, pp. 225-229.
- 38 Kapoor, A., Johnson, K.L., and Williams, J.A., "A model for the mild ratchetting wear of metals", *Wear*, Vol. 200, 1996, pp. 38-44.
- 39 Williams, J.A., "The influence of repeated loading, residual stresses and shakedown on the behaviour of tribological contacts", *Tribology International*, Vol. 38, 2005, pp. 786-797.
- 40 Challen, J.M., Oxley, P.L.B., Hockenull, B.S., "Prediction of Archard's wear coefficient for metallic sliding friction assuming a low cycle fatigue wear mechanism", *Wear*, Vol. 111, 1986, pp. 275-288.
- 41 Rigney, D.A., Hirth, J.P., "Plastic deformation and sliding friction of metals", *Wear*, Vol. 53, 1979, pp. 345-370.
- 42 Dieter, G., *Mechanical metallurgy*, McGraw-Hill book company, 1986.
- 43 Rabinowicz, E, "Wear co-efficients – metals", in *Wear Control Handbook*,

Peterson, M.B., and Winer, W.O. ed., ASME, New York, 1980.

44 D.K. Subramanyam, *ASM Metals Handbook, Volume 1, Properties and Selection: Irons, steels and high-performance alloys*, 10th Ed., page 834.

45 Norton, R.L., *Machine design : an integrated approach*, Prentice-Hall, London, 2000, p 456.

46 Crook, P., & Farmer, H.N., *ASM Handbook: Friction, lubrication, and wear technology, Vol 18: Friction and wear of hardfacing alloys chapter*, 1992, Henry, S.D. (ed), ASM International, pp. 758-765.

47 <http://www.hollandco.com/car-components/products/hb1300p.atxml/> (HDPE centre bowl liner manufacturer data sheet).

48 Australian standard, Cast steels, AS2074-2003.

49 ASM Handbook, Volume 15, Casting, 1988, pp 733-735.

50 Berg, M., Budtz-Jorgensen, V., Reitz, H., Schweitz, K.O., Chevallier, J., Kringhoj, P., and Bottinger, J., "On plasma nitriding of steels", *Surface and Coatings Technology* 124, 2000, pp 25-31.

51 Yellup, J.M. (1995) Laser cladding using the powder blowing technique, *Surface and Coatings Technology* 71, 121-128.

52 Ion, John C., *Laser processing of engineering materials: Principles, procedure and industrial application*, Elsevier Butterworth-Heinemann, 2005.

- 53 Ashby, M.F., *Materials selection in mechanical design, Appendix subtitle: Materials and process selection charts*, Oxford Pergamon Press, 1993.
- 54 F. Mahboubi, M. Samandi, D. Dunne, A. Bloyce, T. Bell, "Plasma nitriding of microalloyed steel", *Surface and coatings technology*, Vol. 71, 1995, pages 135-141.
- 55 F.T. Hoffman, P. Mayr, *ASM Handbook, Vol. 18, Friction, lubrication, and wear technology: Nitriding and nitrocarburising chapter*, Institute of Material Science (Germany), 1992, pp 878-883.
- 56 James M. O'Brien, and Dan Goodman, *ASM Handbook, Vol. 4, Heat treating: Plasma (Ion) Nitriding chapter*, pp 420-424.
- 57 Jones, G., : *Basic Principles and Applications on Ion/Plasma Nitriding with Focus on AISI 4140, Industrial Heating* (1987), pp. 12-14.
- 58 K. G. Budinski, *Surface engineering for wear resistance*, Prentice-Hall Inc., 1988, pp 98-106.
- 59 T.S. Sudarshan, and D.G. Bhat, *Surface modification technologies*, Proceedings of the first international conference on surface modification technology, The metallurgical society, 1988, pp 51-77.
- 60 S.L. Rhode, *ASM Handbook, Vol. 5, Surface engineering*, ASM International, 1994, pp 573-681.
- 61 Y. Sun, and T. Bell, "A numerical model of plasma nitriding of low alloy steels", *Materials Science and Engineering A224* (1997), pp. 33-47.

- 62 H.A. Wriedt, N.A. Gokcen, and R.H. Nafziger, *ASM Handbook, Vol. 3, Alloy phase diagrams: chapter 2*, H. Baker (ed.), ASM International, 1992, p 198.
- 63 M. Ferry, Metallic materials subject lecture notes, University of Wollongong, 1996.
- 64 Cheetham, F. Merieux, Mechanical vacuum pump selection considerations for low pressure nitriding, plasma nitriding and nitro-carburising, http://www.bocedwards.com/pdf/MECH_VAC_PUMP_SELECTION.pdf.
- 65 Brokman, A., “Nitriding of stainless steel in a glow discharge in crossed electric and magnetic fields”, *Materials Science and Engineering*, Vol. 40, Issue 2, Oct 1979, pp 261-263.
- 66 Karamis, M.B., “Wear properties of steel plasma nitrided at high temperatures”, *Materials science and engineering*, A168, 1993, pp. 49-53.
- 67 Toyserkani, Ehsan; Khajepour, Amir; Corbin, Stephen; *Laser cladding*, CRC Press, 2005.
- 68 Weerasinghe, V.M. & Steen, W.M., “Laser cladding with pneumatic powder delivery”, in *Proceedings of the American Society of Metals: Lasers in Materials Processing*, Metals Park, Ohio, USA, 1983, pp. 166-174.
- 69 Salehi, D., “Sensing and control of Nd:YAG laser cladding process”, Ph.D. thesis, 2005, Swinburne University of Technology, Australia.
- 70 Kathuria, Y.P., “Some aspects of laser surface cladding in the turbine industry”,

Surface and coatings technology, Vol. 132, 2000, pp. 262-269.

71 Steen, William M., *Laser material processing*, Springer-Verlag London Limited, 1991.

72 Frenk, A., Kurz, W., “High speed laser cladding: solidification conditions and microstructure of a cobalt-based alloy”, *Materials Science and Engineering*, A173, 1993, pp. 339-342.

73 De Mol van Otterloo, J.L., De Hosson, J.T.M., “Microstructural features and mechanical properties of a cobalt-based laser coating”, *Acta Materialia*, Vol. 45, No.3, 1997, pp. 1225-1236.

74 Crook, P., & Levy, A.V., *ASM Handbook: Friction, lubrication, and wear technology, Vol 18: Friction and wear of cobalt-base wrought alloys chapter*, 1992, Henry, S.D. (ed), ASM International, pp. 766-771.

75 Reed-Hill, R.E., Abbaschian, R., *Physical metallurgy principles*, 1992, 3rd edition, PWS-Kent Publishing Company.

76 Smallman, R.E., Bishop, R.J., *Metals and materials: Science, processes, applications*, Butterworth-Heinemann Ltd, 1995.

77 ASTM standard, G98-91 (Re-approved 1996), Standard test method for galling resistance of materials.

78 Bartczak Z, Argon AS, Cohen RE, and Weinberg M, “Toughness mechanism in semi-crystalline polymer blends: I. high-density polyethylene toughened with rubbers”,

Polymer 40, 1999, 2331-2346.

79 Sirotin RO, and Brooks NW, “The effects of morphology on the yield behaviour of polyethylene copolymers”, Polymer 42, 2001, 3791-3797.

80 Baker A, and Barry CMF, *ASM Handbook, Vol. 20, Materials selection and design: Effects of composition, processing, and structure on properties of engineering plastics chapter*, pages 434-456.

81 “Polyethylene, High density” polymer profile from *Polymers – A property database* online database, CRC Press / Taylor and Francis, <http://www.polymersdatabase.com/>.

82 Yan, W., Fang, L., Sun, K., Xu, Y., “Effect of surface work hardening on wear behaviour of Hadfield steel”, Materials science and engineering A, Vol. 460-461, 2007, pp. 542-549.

83 Fucheng, Z., Tingquan, L., “A study of friction-induced martensitic transformation for austenitic manganese steel”, Wear, Vol. 212, 1997, pp. 195-198.

84 Bhattacharyya, S., “A friction and wear study of Hadfield manganese steel”, Wear, Vol. 9, 1966, pages 451-461.

85 Kopac, J., “Hardening phenomena of Mn-austenite steels in the cutting process”, Journal of materials processing technology, Vol. 109, 2001, pp. 96-104.

86 Bayraktar, E., Khalid, F.A., Levailant, C., “Deformation and fracture behaviour of high manganese austenitic steel”, Journal of materials processing technology, Vol. 147,

2004, pp. 145-154.

87 Dastur, Y.N., Leslie, W.C., “Mechanism of work hardening in Hadfield manganese steel”, *Metallurgical transactions A*, Vol. 12A, May 1981, pp. 749-759.

88 Adler, P.H., Olson, G.B., Owen, W.S., “Strain hardening of Hadfield manganese steel”, *Metallurgical transactions A*, Vol. 17A, October 1986, pp. 1725-1737.

89 Raghavan, K.S., Sastri, A.S., Marcinkowski, M.J., “Nature of the work-hardening behaviour in Hadfield’s manganese steel”, *Transactions of the metallurgical society of AIME*, Vol. 245, July 1969, pp. 1569-1575.

90 Adams, G.G., Nosonovsky, M., “Contact modeling – forces”, *Tribology International*, Vol. 33, 2000, pp. 431-442.

91 C. Ruset, S. Ciuca, and E. Grigore, “The influence of the sputtering process on the constitution of the compound layers obtained by plasma nitriding”, *Surface and Coatings Technology*, Vol. 174-175 (2003), pp. 1201-1205.

92 Speich, G.R., *TMS-AIME*, Vol. 245, 1969, p 2553.

93 Sun, Y., and Bell, T., “Plasma surface engineering of low alloy steel”, *Materials science and engineering*, Vol. A140, 1991, pp 419-434.

94 O.T. Inal and O. Kazim, “Ion Nitriding”, *Proceedings of an International Conference on Ion-Nitriding*, Spalvins T. (Ed.), 15-17, Sep., 1986, Clev., Ohio, ASM Int., p.31.

95 Kurz, W, & Stefanescu, D.M., *ASM Handbook: Casting, Vol 15: Principles of*

solidification chapter, Davis, J.R. (ed), 1988, ASM International, 101-182.

96 Sun, S., Durandet, Y., & Brandt, M. (2005) Parametric investigation of pulsed Nd:YAG laser cladding of stellite 6 on stainless steel, *Surface & Coatings Technology* 194, 225-231.

97 Huang, S.W. (2000) Tribological performance and microstructure of physical vapour deposition coatings, laser clad WC/Ni layers and duplex coatings, Ph.D. thesis, University of Wollongong, Australia.

98 De Mol van Otterloo, J.L., De Hosson, J.T.M., “Microstructure and abrasive wear of cobalt-based laser coatings”, *Scripta Materialia*, Vol. 36, No.2, 1996, pp. 239-245.

99 D’Oliveira, A.S.C.M., Da Silva, P.S.C.P., Vilar, R.M.C., (2002) Microstructural features of consecutive layers of Stellite 6 deposited by laser cladding, *Surface and Coatings Technology* 153, 203-209.

100 Mingxi, L., Yizhu, H., Guoxiong, S., (2004) Microstructure and wear resistance of laser clad cobalt-based alloy multi-layer coatings, *Applied Surface Science* 230, 201-206.

101 American Society for the Testing of Materials, ASTM standard test method G133-95, Test method for linearly reciprocating ball-on-flat sliding wear, *1997 Annual book of ASTM standards, Section 3 Metals test methods and analytical procedures, Vol 03.02 Wear and erosion; metal corrosion*.

102 Edited by Neale, M.J., *The tribology handbook*, Butterworth-Heinemann Ltd,

1995.

103 Chen, Liang, report regarding friction and wear testing of alternative centre bearing materials, Rail CRC, Project No. 082, November, 2007.

104 Jost N, and Schmidt I, “Friction-induced martensitic transformation in austenitic manganese steels”, *Wear*, Vol. 111, 1986, pp. 377-389.

105 Hogmark S, Jacobson S, Vingsbo O, *ASM metals handbook, Vol. 18, Friction, lubrication, and wear technology: surface damage chapter*, 1992, 1st Ed., pages 176-183.

106 Kopalinsky, E.M., Oxley, P.L.B., Young, H.T., “A strain-hardening slipline field analysis of the plastic deformation observed in a model asperity interaction experiment”, *J. Mech. Phys. Solids*, Vol. 38, No. 6, 1990, pp. 765-785.

107 Czichos, H., *ASM Handbook: Friction, lubrication, and wear technology, Vol 18: Design of friction and wear experiments chapter*, 1992, Henry, S.D. (ed), ASM International, pp. 480-488.