

2009

Were environmental or demographic factors the driving force behind Middle Stone Age innovations in southern Africa?

Zenobia Jacobs

University of Wollongong, zenobia@uow.edu.au

Richard G. Roberts

University of Wollongong, rgrob@uow.edu.au

Follow this and additional works at: <https://ro.uow.edu.au/scipapers>



Part of the [Life Sciences Commons](#), [Physical Sciences and Mathematics Commons](#), and the [Social and Behavioral Sciences Commons](#)

Recommended Citation

Jacobs, Zenobia and Roberts, Richard G.: Were environmental or demographic factors the driving force behind Middle Stone Age innovations in southern Africa? 2009, 333-334.
<https://ro.uow.edu.au/scipapers/266>

Were environmental or demographic factors the driving force behind Middle Stone Age innovations in southern Africa?

Abstract

Sir—Past human responses to environmental changes have long interested archaeologists. During the last glacial cycle, southern Africa experienced marked climatic fluctuations, as recorded in ice-core records from West and East Antarctica.

Keywords

innovations, environmental, southern, africa, demographic, factors, driving, force, behind, middle, stone, age, were, CAS

Disciplines

Life Sciences | Physical Sciences and Mathematics | Social and Behavioral Sciences

Publication Details

Jacobs, Z. & Roberts, R. G. (2009). Were environmental or demographic factors the driving force behind Middle Stone Age innovations in southern Africa?. *South African Journal of Science*, 105 (9/10), 333-334.

Were environmental or demographic factors the driving force behind Middle Stone Age innovations in southern Africa?

Sir—Past human responses to environmental changes have long interested archaeologists. During the last glacial cycle, southern Africa experienced marked climatic fluctuations, as recorded in ice-core records from West and East Antarctica.¹⁻⁷ Two phases of technological

and behavioural innovation, known as the Still Bay (SB) and Howieson's Poort (HP) industries, also occurred during this interval of the Middle Stone Age (MSA). Recently, we reported improved estimates for the start and end dates, and durations, of these two industries, and argued that the SB and HP did not reflect a response to environmental factors alone.⁸⁻¹¹

We drew this conclusion for two reasons. First, we noted that the HP occurred during a period of climatic warming between *c.* 65 and 60 thousand years ago (kyr), regardless of which Antarctic ice core is chosen for comparison, whereas the SB (*c.* 72 to 71 kyr) was not clearly associated with any such warming trend. Second, two subsequent MSA periods (the late and final MSA at Sibudu Cave¹²), and possibly also the immediately post-HP pulse at *c.* 56.5 kyr^(ref. 8), occurred during

warm intervals, yet none of these periods is notable for technological or behavioural innovations. Consequently, we could not identify any specific climatic conditions uniquely associated with both the SB and HP industries, which suggests that their emergence and demise were not driven by a common environmental cause.

Furthermore, we could find no spatial variation in the timing of the start or end of the SB and HP at sites spread across two million km² of southern Africa. This geographic area encompasses most major present-day climatic ranges and ecological zones, including coastal South Africa, mountainous Lesotho and arid Namibia. Given the lifestyle of hunter-gatherers, however, we recognise that the preferred sites for human habitation and access to resources would likely have changed over time in response to environmental

influences—a view encapsulated in our statement (on p. 734 of ref. 8) that ‘Environmental factors may have been responsible for episodic occupation and abandonment of rock shelters (26) [ref. 12 here], but they were not necessarily the driving force behind technological change.’ Thus, it is only the link to technological and behavioural *innovations* that we directly challenged.

In recent scientific correspondence, Thackeray¹³ also argues for enhanced archaeological visibility at certain times, in response to environmental factors. This conclusion is consistent with the view expressed in the first part of the quotation above from ref. 8, which he omits to report. We disagree with Thackeray, however, that temperature variations played an important role in SB and HP innovations—not only for the reasons given above, but also because his environmental reconstructions are based on correlations with the Vostok ice-core record,¹ which are less secure than they might appear. For example, he associates the SB with a warm period, but this is not necessarily true: the temperature trends inferred from various Antarctic ice cores—obtained more recently and some at higher temporal resolution than the Vostok core—are not entirely congruent over the relevant time period (see refs 3–6 and Fig. 4 in ref. 8). Thackeray also compares temperature reconstructions for Klasies River with those at Vostok, using the original chronology for this ice core¹ as the frame of reference. He argues that the HP began during a warm interval and extended into the subsequent period of cooler climate. However, the revised Vostok chronology² indicates that this climatic cooling did not occur until after c. 59 kyr, which is in close agreement with the other Antarctic records for the relevant time period.^{3–6}

The ‘gap’ between the end of the SB (c. 71 kyr) and the start of the HP (c. 65 kyr) occurred during a comparatively cold period of the last glacial cycle (Oxygen Isotope Stage 4), but mean annual tem-

peratures in Antarctica at this time were only ~3°C cooler than at the height of the bracketing warm intervals.^{5,7} Given the ambiguities involved in interpreting the Antarctic temperature records⁷ and in extrapolating them to southern Africa, we remain cautious about linking the technological and behavioural innovations of the SB and HP to environmental factors alone. Furthermore, as the timing of these industries cross-cuts diverse climatic and ecological zones, elucidating the putative role of climate change will require well-dated continental records from sites and biomes throughout southern Africa. As a trigger for these MSA innovations, we instead favour some mechanism related to the expansions and isolations of modern human populations within Africa at about this time,^{8–11} as identified by genetic studies^{14–17} and supported by demographic models of cultural evolution.^{18,19}

- Petit J.R., Jouzel J., Raynaud D., Barkov N.I., Barnola J.-M., Basile I., Bender M., Chappellaz J., Davis M., Delaygue G., Delmotte M., Kotlyakov V.M., Legrand M., Lipenkov V.Y., Lorius C., Pépin L., Ritz C., Saltzman E. and Stievenard M. (1999). Climate and atmospheric history of the past 420 000 years from the Vostok ice core, Antarctica. *Nature* **399**, 429–436.
- Parrenin F., Rémy F., Ritz C., Siebert M.J. and Jouzel J. (2004). New modeling of the Vostok ice flow line and implication for the glaciological chronology of the Vostok ice core. *J. Geophys. Res.* **109**, D20102, doi:10.1029/2004JD004561.
- Watanabe O., Jouzel J., Johnsen S., Parrenin F., Shoji H. and Yoshida N. (2003). Homogeneous climate variability across East Antarctica over the past three glacial cycles. *Nature* **422**, 509–512.
- EPICA Community Members (2006). One-to-one coupling of glacial climate variability in Greenland and Antarctica. *Nature* **444**, 195–198.
- Jouzel J., Masson-Delmotte V., Cattani O., Dreyfus G., Falourd S., Hoffmann G., Minster B., Nouet J., Barnola J.M., Chappellaz J., Fischer H., Gallet J.C., Johnsen S., Leuenberger M., Loulergue L., Luethi D., Oerter H., Parrenin F., Raisbeck G., Raynaud D., Schilt A., Schwander J., Selmo E., Souchez R., Spahni R., Stauffer B., Steffensen J.P., Stenni B., Stocker T.F., Tison J.L., Werner M. and Wolff E.W. (2007). Orbital and millennial Antarctic climate variability over the past 800 000 years. *Science* **317**, 793–796.
- Ahn J. and Brook E.J. (2008). Atmospheric CO₂ and climate on millennial time scales during the last glacial period. *Science* **322**, 83–85.
- Huybers P. (2009). Antarctica’s orbital beat. *Science* **325**, 1085–1086.
- Jacobs Z., Roberts R.G., Galbraith R.F., Deacon

H.J., Grün R., Mackay A., Mitchell P., Vogelsang R. and Wadley L. (2008). Ages for the Middle Stone Age of southern Africa: implications for human behavior and dispersal. *Science* **322**, 733–735.

- Jacobs Z. and Roberts R.G. (2008). Testing times: old and new chronologies for the Howieson’s Poort and Still Bay industries in environmental context. *S. Afr. Archaeol. Soc. Goodwin Ser.* **10**, 9–34.
- Jacobs Z. and Roberts R.G. (2009). Catalysts for Stone Age innovations: what might have triggered two short-lived bursts of technological and behavioral innovation in southern Africa during the Middle Stone Age? *Commun. Integr. Biol.* **2**, 191–193.
- Jacobs Z. and Roberts R.G. (2009). Human history written in stone and blood. *Am. Sci.* **97**, 302–309.
- Jacobs Z., Wintle A.G., Duller G.A.T., Roberts R.G. and Wadley L. (2008). New ages for the post-Howieson’s Poort, late and final Middle Stone Age at Sibudu, South Africa. *J. Archaeol. Sci.* **35**, 1790–1807.
- Thackeray J.F. (2009). Chronology, climate and technological innovation associated with the Howieson’s Poort and Still Bay industries in South Africa. *S. Afr. J. Sci.* **105**, 90.
- Tishkoff S.A., Conder M.K., Henn B.M., Mortensen H., Knight A., Gignoux C., Fernandopulle N., Lema G., Nyambo T.B., Ramakrishnan U., Reed F.A. and Mountain J.L. (2007). History of click-speaking populations of Africa inferred from mtDNA and Y chromosome genetic variation. *Mol. Biol. Evol.* **24**, 2180–2195.
- Quintana-Murci L., Quach H., Harmant C., Luca E., Massonnet B., Patin E., Sica L., Mougiamadaouda P., Comas D., Tzur S., Balanovsky O., Kidd K.K., Kidd J.R., van der Veen L., Hombert J.-M., Gessain A., Verdu P., Froment A., Bahuchet S., Heyer E., Dausset J., Salas A. and Behar D.M. (2008). Maternal traces of deep common ancestry and asymmetric gene flow between Pygmy hunter-gatherers and Bantu-speaking farmers. *Proc. Natl. Acad. Sci. USA* **105**, 1596–1601.
- Behar D.M., Villemers R., Soodyall H., Blue-Smith J., Pereira L., Metspalu E., Scozzari R., Makkan H., Tzur S., Comas D., Bertranpetit J., Quintana-Murci L., Tyler-Smith C., Wells R.S., Rosset S. and The Genographic Consortium (2008). The dawn of human matrilineal diversity. *Am. J. Hum. Genet.* **82**, 1130–1140.
- Atkinson Q.D., Gray R.D. and Drummond A.J. (2009). Bayesian coalescent inference of major human mitochondrial DNA haplogroup expansions in Africa. *Proc. R. Soc. B* **276**, 367–373.
- Shennan S. (2001). Demography and cultural innovation: a model and its implications for the emergence of modern human culture. *Cambr. Archaeol. J.* **11**, 5–16.
- Powell A., Shennan S. and Thomas M.G. (2009). Late Pleistocene demography and the appearance of modern human behavior. *Science* **324**, 1298–1301.

Zenobia Jacobs and Richard G. Roberts

School of Earth and Environmental Sciences, University of Wollongong, Wollongong, New South Wales 2522, Australia. E-mail: zenobia@uow.edu.au