



UNIVERSITY
OF WOLLONGONG
AUSTRALIA

University of Wollongong
Research Online

Faculty of Social Sciences - Papers

Faculty of Social Sciences

2014

Efficiency of respirator filter media against diesel particulate matter

Kerrie Burton

University of Wollongong, kab843@uowmail.edu.au

Jane L. Whitelaw

University of Wollongong, jwhitela@uow.edu.au

Alison L. Jones

University of Wollongong, alisonj@uow.edu.au

Publication Details

Burton, K., Whitelaw, J. L. & Jones, A. L. (2014). Efficiency of respirator filter media against diesel particulate matter. 17th ISRP International Conference: Moving Forward with Respiratory Protection (pp. 1-1). Prague: ISRP.

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

Efficiency of respirator filter media against diesel particulate matter

Abstract

Abstract of a presentation that was presented at 17th ISRP Conference, Prague, 21-25 September 2014.

Keywords

particulate, diesel, against, media, matter, filter, efficiency, respirator

Disciplines

Education | Social and Behavioral Sciences

Publication Details

Burton, K., Whitelaw, J. L. & Jones, A. L. (2014). Efficiency of respirator filter media against diesel particulate matter. 17th ISRP International Conference: Moving Forward with Respiratory Protection (pp. 1-1). Prague: ISRP.

“Efficiency of Respirator Filter Media against Diesel Particulate Matter”

Authors: Burton, Kerrie; Whitelaw, Jane L¹; Jones, Alison L¹

Paper presented by: Kerrie Burton, MSc Research Candidate
University of Wollongong
Northfields Avenue, Wollongong NSW 2522, Australia
kab843@uowmail.edu.au
61 2 4285 8589

Exposure to diesel particulate matter (DPM) is a major health issue, given the potential of diesel engine emissions to cause adverse health impacts including lung cancer, cardiovascular and irritant effects. Respiratory protection is commonly used to mitigate worker exposure.

Effectiveness of respiratory protection is evaluated in Australia in accordance with AS/NZS 1716². Filtering efficiency is determined by challenging filter media with aerosolised sodium chloride to determine penetration at designated flow rates. However the standard does not account for the differences in structure and chemical characteristics of DPM and sodium chloride. Additionally the standard does not incorporate worker breathing rates representative of moderate to heavy work, which are currently being considered by ISO in their review of performance requirements for respiratory protective devices.

Research undertaken at the University of Wollongong evaluated penetration of DPM through three commonly used respirator filters, at the flow rate designated in the standard, as well as a higher flow rate representative of medium to heavy work. Initial results indicate that when challenged with DPM, measured as elemental carbon, the filtering efficiency assumed by P2 certification in Australia was achieved for two of the respirator models, and for only one respirator model at the higher flow rate. These findings will inform the development of Australian and International standards on the selection and evaluation of respiratory protection for effective mitigation of DPM. Additionally, the importance of “Moving Forward” with evidence based research is demonstrated to ensure respiratory protection provided to workers adequately protects against this workplace carcinogen.

-
1. Jane L. Whitelaw, Alison Jones University of Wollongong
 2. Standards Australia International Ltd AS/NZS 1716:2012 *Respiratory protective devices*. Accessed on 14th May 2014 via SAI Global

Submitted for ISRP Conference September 2014 for consideration as a presentation